

Material Safety Data Sheet

According to regulation (EG) no. 1907/2006 (REACH) and additional regulation (EU) 2015/830

Date of issue: 04-12-2019

Revision date:: 20-12-2019

Version: 2.0

SECTION 1: Identification of the substance or mixture and of the supplier

1.1. Product identification

Type product: Mixture

Trade name: EVIE BLUE Clean & Green Floor Cleaner Pro

Product code: 09

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category: Professional use

Use of the substance / mixture: Cleaning agent

1.2.2. Uses advised against

Do not use on surfaces that come in direct contact with the skin. Not to be used for private purposes (household).

1.3. Details of the supplier of the safety data sheet:

PPG Cleaning Concepts BV

Zwaalweg 5

2991 ZC Barendrecht, the Netherlands

T +31 (0)180859727

E info@ppgcleaning.com

1.2. Emergency telephone number

Only intended to inform professional care providers in case of acute poisoning.

+31 (0)30 27 48 888 Alarm doctor (24/7)

Dutch National Poisoning Information Centre

Post box 85500 (B.00.118)

3508 GA Utrecht, the Netherlands

SECTION 2: Identification of hazards

2.1. Classification of the substance or mixture:

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Corrosive to metals, Category 1 H290

Skin corrosive, Category 1A H314

Eye damage, Category 1 H318

Adverse physicochemical, health and environmental effects:

Material Safety Data Sheet

According to regulation (EG) no. 1907/2006 (REACH) and additional regulation (EU) 2015/830

Date of issue: 04-12-2019

Revision date:: 20-12-2019

Version: 2.0

May be corrosive to metals.

Causes severe skin burns and eye damage.

Full text of the classification and the H phrases: see section 16.

For information on DetNet classification and labelling, see Section 15.

2.2. Labelling elements

Labelling in accordance with Regulation (EC) No 1272/2008 [CLP].

General requirements:

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazard statements (CLP) :

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Safety advice (CLP) :

P260 - Do not breathe dust.

P280 - Wear eye protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310- Immediately call a POISON CENTER or doctor/physician.

Reduced labelling requirements (≤ 10 ml):

If already present on an outer packaging of > 10 ml.

Hazard pictogram (CLP) :



2.3. Other hazards

No further information available.

SECTION 3: Composition and information on ingredients

3.1. Substances

Not applicable.

Material Safety Data Sheet

According to regulation (EG) no. 1907/2006 (REACH) and additional regulation (EU) 2015/830

Date of issue: 04-12-2019

Revision date:: 20-12-2019

Version: 2.0

3.2. Mixtures:

Description of the product. / chemical characterization:

Cleaner based on surfactants

Hazardous components classification according to Regulation (EC) No. 1272/2008 [CLP]:

Productidentificatie	Productnaam en -classificatie	Gew. %
(CAS No.) 77-92-9 (Einecs No.) 201-069-1 (REACH No.) 01-2119457026-42-0004 (EU -code Food Additive) E330	2-hydroxypropaan-1,2,3-carbonzuur Eye Irrit. 2 H319	5-15
(CAS No.) 25155-30-0 (Einecs No.) 246-680-4 (REACH No.) 01-2119565112-48-0000 (EU -code Food Additive) E211	C10-13 Linear alkyl benzene sulphonate Skin Irrit. 2 H315 / Eye Dam. 1 H318 / Aquatic Chronic 3 H412	15-30
(CAS No.) 497-19-8 (Einecs No.) 207-838-8 (REACH No.) 01-2119485498-19-0018 (EU -code Food Additive) E500(III)	Sodium carbonate Eye Irrit. 2 H319	15-30
(CAS No.) 1310-73-2 (Einecs No.) 215-185-5 (REACH No.) 01-2119457892-27	Sodium hydroxide Met. Corr. 1 H290 / Skin Corr. 1A H314 (0.5 =<C < 2) Eye Irrit. 2, H319 (0.5 =<C < 2) Skin Irrit. 2, H315 (2 =<C < 5) Skin Corr. 1B, H314 (5 =<C < 100) Skin Corr. 1A, H314	5-15 SCL: (

Additional information:

Full text of classifications: see section 16

Hazardous components labelling in accordance with regulation EC No 648/2004:

Contains: anionic surfactants 15-30%, perfume.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First aid in general : Never give anything along the mouth to an unconscious person. In case of doubt or irritation, consult a doctor. When seeking medical advice, keep the packaging or the label at your disposal.

Material Safety Data Sheet

According to regulation (EG) no. 1907/2006 (REACH) and additional regulation (EU) 2015/830

Date of issue: 04-12-2019

Revision date:: 20-12-2019

Version: 2.0

First aid after inhalation : Bring the victim into fresh air. Keep victim calm, in half-seated posture. If the victim does not breathe or breathe irregularly, apply artificial ventilation. Consult a doctor immediately.

First aid after skin contact : Rinse contaminated clothing and skin immediately with plenty of water and only then take off clothing.

First aid after eye contact : In case of eye contact, rinse immediately with clean water for 10-15 minutes. If eye irritation persists, seek medical advice/ assistance.

First aid after ingestion : Rinse mouth. DO NOT induce vomiting. Drink water. Seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not considered to present a serious risk under normal conditions of use.

Symptoms/effects after inhalation : Under normal conditions of use none.

Symptoms/effects after skin contact : May cause skin damage or irritation.

Symptoms/effects after eye contact : May cause severe eye damage.

Symptoms/effects after ingestion : May cause irritation of the mouth wall, throat, stomach and intestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

If in doubt or if irritated, consult a physician. When seeking medical advice, keep the packaging or label available.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Extinguishing powder, Carbon dioxide (CO₂), atomized water.

Unsuitable extinguishing media : Hard water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is neither sustaining fire nor an oxidiser.

Exposure to decomposition products may cause a health hazard.

5.3. Advice for firefighters

Protection during firefighting : Adapt firefighting measures to the environment and circumstances.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Material Safety Data Sheet

According to regulation (EG) no. 1907/2006 (REACH) and additional regulation (EU) 2015/830

Date of issue: 04-12-2019

Revision date:: 20-12-2019

Version: 2.0

General measures : The spillage on a hard surface can cause a serious slip or fall risk.

6.1.1. For persons other than the emergency services: no additional information available.

6.1.2. For the emergency services: no additional information available

6.2. Environmental precautions

Do not allow unnecessary draining into sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods of cleaning : Clean up any spilled product as much as possible and store in a container.

Neutralize any remaining with diluted acid and rinse off the residue with plenty of water.

6.4. Reference to other sections

Personal precautions: See section 8.

Handling and storage: See section 7.

Recommendations for disposal: See section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling of the substance or mixture

Observe the usual precautions when handling chemicals. Avoid contact with skin and eyes. Do not eat, drink or smoke in areas where the product is used. Keep container tightly closed to avoid contamination and moisture absorption. Emergency eye showers and/or safety showers should be installed near any place where there is a risk of exposure.

7.2. Conditions for safe storage, including any incompatibilities

Follow the recommendations on the label. Store in tightly closed container. Do not leave on or in corrosion-sensitive materials. Store in a well-ventilated, dry place at 5°C to 30°C. Protect from heat and sunlight. Keep away from sources of ignition.

7.3. Specific end use

When the product is used as specified in Section 1.2, under normal conditions of use, no special measures are required. The necessary measures can be found in Sections 7.1 and 7.2.

SECTION 8: Exposure controls/personal protection measures

8.1. Control parameters

Occupational exposures: Sodium hydroxide : Limit value (BE) : 2 mg/m³.

DNEL: Sodium hydroxide : Consumer, long-term - local effects, inhalation : 1.0 mg/m³.

Material Safety Data Sheet

According to regulation (EG) no. 1907/2006 (REACH) and additional regulation (EU) 2015/830

Date of issue: 04-12-2019

Revision date:: 20-12-2019

Version: 2.0

DNEL: Sodium hydroxide : Consumer, long-term - local effects, inhalation : 1.0 mg/m³.

PNEC: Sodium hydroxide : Not applicable.

8.2. Exposure control measures

Technical measures:

Provide a sufficiently ventilated workplace, which can be achieved by sufficient local or room ventilation. Provide eye showers close to the workplace.

Personal protective measures:

PROTECTION AGAINST INHALATION: Use breath protection, filter type B/P2 or P3, if the risk of the task to be carried out gives rise to this (to be evaluated by a safety specialist).

HAND PROTECTION: Use suitable safety gloves. Suitable equipment for safety gloves (EN 374):

Natural rubber, Butyl rubber, Nitrile rubber, PVC.

EYE PROTECTION: Use conclusive eye protection.

HYGIENIC MEASURES: Wash hands after use with water and a mild soap.

SKIN PROTECTION: Use suitable covering clothing if the risk of the task to be carried out gives rise to this (to be evaluated by a safety specialist).

Appropriate environmental measures:

See chapters 6.2 and 6.3. No supernumerary measures are required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Mixture (as is)	Solution in water, 1.5% (RTU)
Physical appearance	Solid, microgranulate	Solution
Color	Colored, green	Colored, green
Odor	Distinctive scent	Distinctive scent
pH, 1.5% w/w water @ 20 °C	-	12 ± 0,5
Density, g/L @ 20 °C	1015 ± 100	1000 ± 100
Boiling point/ range	-	100 °C

9.2. Other information

No additional information available.

Material Safety Data Sheet

According to regulation (EG) no. 1907/2006 (REACH) and additional regulation (EU) 2015/830

Date of issue: 04-12-2019

Revision date:: 20-12-2019

Version: 2.0

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is not reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable when applying the recommended storage and handling requirements. For further information on proper handling and storage, see section 7.

10.3. Potentially hazardous reactions

Keep away from strong acids, strong alkalis and strong oxidizing agents in order to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended storage and handling requirements. Hazardous decomposition products may occur when exposed to high temperatures. For further information on proper handling and storage, see section 7.

10.5. Incompatible materials

Materials sensitive to corrosion (e.g. metals).

10.6. Hazardous decomposition products

Exposure to decomposition products may present a health hazard.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Productnaam	LD50 oraal	LD50 dermaal
2-hydroxypropan-1,2,3-carbonzuur	LD50 Rat: > 3.000 mg/kg; Bron: TOXNET	LD50 Rat: > 2.000 mg/kg Richtlijn test OECD 402 (watervrije stof)
C10-13 Linear alkyl benzene sulphonate	LD50 Rat: 2.000 - 5.000 mg/kg; Richtlijn test OECD 401	LD50 Rat: > 2.000 mg/kg; Richtlijn test OECD 402
Sodium carbonate	LD50 Rat: 2.800 mg/kg	LD50 , Rabbit: > 2000 mg/kg; Method: EPA 16 CFR 1500.40
Sodium hydroxide	Not available	LD50 , Rabbit: 1.350 mg/kg; Method: EPA 16 CFR 1500.40

Acute toxicity (oral) : not classified.

Material Safety Data Sheet

According to regulation (EG) no. 1907/2006 (REACH) and additional regulation (EU) 2015/830

Date of issue: 04-12-2019

Revision date:: 20-12-2019

Version: 2.0

Acute toxicity (dermal) : not classified.

Acute toxicity (inhalation) : dust might affect the upper and lower airways, resulting in inflammation and impaired lung function.

Serious eye injury/eye irritation : causes serious eye damage, pH: 12

Inhalation hazard : not classified.

Respiratory/skin sensitisation : causes severe skin burns.

Carcinogenicity : not listed as carcinogenic.

Mutagenicity : not listed as mutagenic.

Reproductive toxicity : not indicated for reproductive toxicity.

STOT:

- for single exposure:

Animal : No effects known. Human : Not indicated for organ toxicity.

- Repeated exposure:

Animal : No effects known. Human : Not indicated for organ toxicity.

SECTION 12: Ecological information

12.1. Toxicity

Product name	Acute ecotoxicity	Chronic ecotoxicity
2-hydroxypropane-1,2,3-carboxylic acid	EC50 Daphnia, 72u: 120 mg/l; EC50 Pseudomonas putida, 16u: > 100.000 mg/l LC50 Vis-Leucisnus idus, 96u: 440-760 mg/l	-
C10-13 Linear alkyl benzene sulphonate	LC50/ EC50: 4,1 mg/l (ref: EU Ecolabel, DID-list)	NOEC: 0,69 mg/l (ref: EU Ecolabel, DID-list)
Sodium carbonate	LC50 Freshwaterfish, 96u: 300 mg/l EC50 Freshwater invertebrates, 48u : 200-227 mg/l	n.a. Dissociates (salt),ions are common in nature
Sodium hydroxide	LC50 Salmo gairdneri, 96u: 45,4 mg/l EC50 Ceriodaphnia sp, 48u : 40,4 mg/l	n.v.t. Dissociates (alkalic), ions

12.2 Persistence and degradability

The surfactant(s) in this preparation meets the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. Data to support this claim will be kept available for the competent authorities of the Member States and will be made available to them upon direct request or at the request of a detergent manufacturer.

Reference: C10-13 Linear alkyl benzene sulphonate .

Readily biodegradable; > 70 %; 28d; aerobic; OECD Test Guideline 301A.

Material Safety Data Sheet

According to regulation (EG) no. 1907/2006 (REACH) and additional regulation (EU) 2015/830

Date of issue: 04-12-2019

Revision date:: 20-12-2019

Version: 2.0

12.3 Bioaccumulation

Reference: C10-13 Linear alkyl benzene sulphonate.

Bioaccumulation is unlikely.

12.4 Mobility in soil

Is not expected to adsorb on soil. The investigation is not necessary. Reason: Easily biodegradable.

12.5 Results of PBT and vPvB assessment

This substance is not considered persistent, bio accumulative or toxic (PBT). On the basis of the available information, the criteria for classification are not met.

12.6 Other adverse effects

No additional information available.

SECTION 13: Disposal consideration

13.1 Waste treatment methods

Reuse spill losses and debris rather than dispose of or incinerate. If not possible, they shall be destroyed in accordance with local or national regulations.

13.2 Packaging

The (re)packaging of the product is compostable or recyclable. Associated spray bottles are reusable.

SECTION 14: Transport information

14.1. UN number

UN 1759

14.2. Correct cargo name in accordance with the UN Model Regulations.

UN 1759 - CORROSIVE SOLID, N.O.S. (contains sodium hydroxide)

14.3. Transport hazard class(es)

8

14.4. Packing group

III

Material Safety Data Sheet

According to regulation (EG) no. 1907/2006 (REACH) and additional regulation (EU) 2015/830

Date of issue: 04-12-2019

Revision date:: 20-12-2019

Version: 2.0

14.5. Environmental hazards

Land transport (ADR/RID): not applicable

Marine pollutant: not applicable

14.6. Special precautions for the user

Always transport in closed, upright and safe containers. Ensure that the persons transporting the product know what to do in the event of an accident or product failure. Measures for safe handling: see section 6.

Further information:

Land transport (ADR/RID):

Classification code: C10

Exempted quantities (EQ): E1

Small packs / Limited quantities (LQ): 5 kg

Limited quantity procedure according to ADR 1.1.3.6., transport category 3: 1.000 points max.

Tunnel code: E

Sea Transport (IMDG):

EmS: F-A, S-B (General Fire Schedule, Corrosive Substance)

Air transport (ICAO/IATA):

Limited quantity: 5 kg

14.7. Transport in bulk according to Annex II to MARPOL and the IBC Code

The product is not intended to be shipped in bulk.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or the mixture

EU requirements

Regulation (EC) No 648/2004 on detergents:

Labelling of contents in accordance with this Regulation:

Contains: anionic surfactants 15-30%, perfume.

National regulations

15.2. Chemical safety assessment

A dust safety assessment for this mixture has not taken place.

Material Safety Data Sheet

According to regulation (EG) no. 1907/2006 (REACH) and additional regulation (EU) 2015/830

Date of issue: 04-12-2019

Revision date:: 20-12-2019

Version: 2.0

SECTION 16: Other information

16.1 Full text of H phrases as referred to in paragraphs 2 and 3

H290 / Corrosive to metals, category 1 / May be corrosive to metals.

H314 / Skin corrosive, category 1A / Causes severe skin burns and eye damage.

H315 / Skin irritant, category 2 / Causes skin irritation.

H318 / Eye damage, category 1 / Causes serious eye damage.

H319 / Eye irritant, category 2 / Causes serious eye irritation.

H412 / Aqua toxic chronic, category 3 / Harmful to aquatic organisms, with long-lasting effects.

16.2 An explanatory list of the abbreviations and acronyms used in the safety data sheet:

ADN	Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
CAS-no	Chemical Abstracts Service number
CLP	Regulation on Classification, Labelling and Packaging of Substances and Mixtures
DetNet	Detergents Network
DNEL	Derived No-Effect Level
EC...	Effective Concentration, ...%
Einecs-no	European INventory of Existing Commercial Substances
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
LC...	Lethal Concentration, ...%
LD...	Lethal Dose, ...%
MARPOL	International Convention for the Prevention of Pollution From Ships
NOEL/NOEC	No Observed-effect level/concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, bio accumulative, toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport international ferroviaire de marchandises dangereuses
vPvB	Very persistent, very bio accumulative

16.3 Further information

As far as we are aware, the information contained in this safety data sheet is correct at the date of issue indicated. This information is intended solely as a guide to safe handling, use, processing, storage, transport, disposal and release and is not to be regarded as a guarantee or an indication of quality. The information relates only to the product mentioned herein and is not necessarily valid



EVIE BLUE Clean & Green Floor Cleaner Pro

Material Safety Data Sheet

According to regulation (EG) no. 1907/2006 (REACH) and additional regulation (EU) 2015/830

Date of issue: 04-12-2019

Revision date:: 20-12-2019

Version: 2.0

when used in conjunction with other products or in any other process, unless this is stated in the text. This Safety Data Sheet contains safety related information only and is not a substitute for product information or specification.

16.4. Changes in this version compared to the previous version

Tables of ingredients (3.2; 11.1; 12.1); pH-value (9.1; 11.1)